



SINCE 1952
SINCE 1952



豪
華
燈

Elegant 扇 Fans

There is only one fan SMC

環保設計 減省電費
Eco-setting for Energy-saving



豪華系列

Deluxe Series

CRT54VFE-L

CODE: D1
天然鐵色 Natural Iron




- 直徑54吋配高級夾板木扇葉，配合各種室內佈置。
 - 配櫻桃木／淺櫻桃木色木扇葉。
 - 具備正反掣及三速調控，隨意調節風向，風速。
 - 配備燈飾。
 - 配備三速遙控器，另附調光功能。
 - 燈泡數量：4個(內附Type G9, max. 75Wx1及max. 25Wx3)。
- 54" sweep with high quality warp-resistant plywood blades.
 - Reversible cherry to medium cherry blades.
 - Quiet 3-speed reversible operation.
 - Light kit included.
 - Electronic hand-held remote control with light dimmer.
 - No. of bulbs: 4 (Type G9, max. 75Wx1 & max. 25Wx3, provided)



Reversible Blade
雙面木葉

- 直徑42吋配高級藤面紋木扇葉。
- 具備正反掣和三速調控，可隨意調節風向和風速。
- 配備燈飾。
- 燈泡數量：2個(內附Type E27, max. 40W)。



- 42" sweep with high quality rattan patten wood blades.
- Quiet 3-speed reversible operation.
- Light kit included.
- No. of bulb: 2 (Type E27, max. 40W, provided)

MSD42SA
CODE: D10
不銹鋼色 Satin



MJ52VB
CODE: D2
金銅色 Polished Brass



- 直徑52 / 42吋系列配高級木扇葉。
- 具備正反掣及三速拉掣，隨意調節風向，風速。
- 備有白色或金銅色以供選擇。
- 配備燈飾。
- 燈泡數量：2個(內附Type E27 max. 60W)。

- 52" / 42" sweep with high quality wood blades.
- Quiet 3-speed reversible operation.
- Finish: white or polished brass.
- Light kit included.
- No. of bulbs: 2 (Type E27, max. 60W, provided)



MJ52VWH
CODE: D3
白色 White



MJ42VB
CODE: D7
金銅色 Polished Brass



MJ42VWH
CODE: D8
白色 White



時
尚
系
列

Contemporary Series



PMC523SA
CODE: C3
不銹鋼色 Satin



- 直徑52吋配流線型動力設計扇葉，提供更高效能。
- 具備正反和三速調控，可隨意調節風向和風速。
- 配備無線三速遙控器，另附調光功能。
- 配備燈飾。
- 燈泡數量：1個(內附Type R7s, 100W)。



PMC523WH
CODE: C4
白色 White



- 52" sweep with aerodynamic-designed blades.
- Quiet 3-speed reversible operation.
- Electronic hand-held remote control with light dimmer.
- Light kit included.
- No. of bulb: 1 (Type R7s, 100W, provided)



OR44VSA
CODE: C5
不銹鋼色 Satin



- 直徑44吋配高級木扇葉。
- SA型號：配黑色／淺楓木色木扇葉。
- WH型號：配白色／洗白橡木色木扇葉。
- 具備正反和三速調控，可隨意調節風向和風速。
- 配備無線三速遙控器，另附調光功能。
- 配備燈飾。
- 燈泡數量：1個(內附Type E14, max. 60W)。



OR44VWH
CODE: C6
白色 White



- 44" sweep with high quality wood blades.
- SA model : Reversible black to light maple blades.
- WH model : Reversible white to bleached oak blades.
- Quiet 3-speed reversible operation.
- Electronic hand-held remote control with light dimmer.
- Light kit included.
- No. of bulb: 1 (Type E14, max. 60W, provided)



BL443NI
CODE: C1
打磨光鏢色 Brushed Nickel



- 直徑44吋配透明扇葉。
- 具備三速調控，可隨意調節風速。
- 配備三速遙控器，另附調光功能。
- 配備燈飾。
- 燈泡數量：2個(內附Type G9, max. 40W)。

- 44" sweep with transparent blades.
- Three-speed quite and smooth operation.
- Electronic hand-held remote control with light dimmer.
- Integral light design.
- No. of bulbs: 2 (Type G9, max. 40W, provided)




DIS46VMS
CODE: C2
金屬銀色 Metallic Silver



- 直徑46吋配金屬銀色高級扇葉。
- 具備三速調控，可隨意調節風速。
- 配備三速遙控器，另附調光功能。
- 配備氣氛燈。
- 燈泡數量：2個(內附Type R7s, 100W)。

- 46" sweep with metallic silver finish high quality blades.
- Three-speed quite and smooth operation.
- Electronic hand-held remote control with light dimmer.
- Includes dramatic uplight feature.
- No. of bulbs: 2 (Type R7s, 100W, provided)



SP483SA
CODE: C7
不銹鋼色 Satin



- 直徑48吋配高級木扇葉。
- SA型號：配白色／不銹鋼色木扇葉。
- WH型號：配白色／洗白橡木色扇葉。
- 具備正反和三速調控，可隨意調節風向和風速。
- 配備無線三速遙控器，另附調光功能。
- 配備燈飾。
- 燈泡數量：1個(內附Type G9, max. 60W)。



SP483WH
CODE: C8
白色 White



- 48" sweep with high quality wood blades.
- SA model : Reversible white to satin blades.
- WH model : Reversible white to bleached oak blades.
- Quiet 3-speed reversible operation.
- Electronic hand-held remote control with light dimmer.
- Light kit included.
- No. of bulb: 1 (Type G9, max. 60W, provided)

古
典
系

Classic Series



HCM52VB w/L407B
CODE: S2+L2
金銅色 Polished Brass



- 直徑52吋系列配光面木扇葉。
- B, FE, A型號：配花梨／桃木色木扇葉。
- W型號：配白色／洗白橡木色木扇葉。
- 具備正反掣及三速拉掣，隨意調節風向，風速。
- 可配多種燈飾。
- 可用吊通或無吊通安裝，以配合較低樓底。



HCM52VFE
CODE: S3
天然鐵色 Natural Iron



- 52" sweep with high gloss wood blades.
- B, FE, A model : Reversible rosewood to walnut blades.
- W model : Reversible white to bleached oak blades.
- Quiet 3-speed reversible operation.
- Light kits adaptable.
- Select either downrod or close-to-ceiling mounting.



HCM52VA
CODE: S1
古銅色 Antique Brass



HCM52VW
CODE: S4
白/金銅色
White / Polished Brass



HCM44VW w/L401B
CODE: S8+L17
白/金銅色
White / Polished Brass



HCM44VB
CODE: S6
金銅色 Polished Brass



- 直徑44吋系列配光面木扇葉。
- B, FE, A型號：配花梨／桃木色木扇葉。
- W型號：配白色／洗白橡木色木扇葉。
- 具備正反掣及三速拉掣，隨意調節風向，風速。
- 可配多種燈飾。
- 可用吊通或無吊通安裝，以配合較低樓底。



HCM44VFE
CODE: S7
天然鐵色 Natural Iron



- 44" sweep with high gloss wood blades.
- B, FE, A model : Reversible rosewood to walnut blades.
- W model : Reversible white to bleached oak blades.
- Quiet 3-speed reversible operation.
- Light kits adaptable.
- Select either downrod or close-to-ceiling mounting.



HCM44VA
CODE: S5
古銅色 Antique Brass



優
雅
系



Elegant Series



HL52VQB-3LC30
CODE: S17
金銅色 Polished Brass



HL52VQB

- 直徑52吋 配高級木扇葉，配合各種室內佈置。
- B, A 型號：配花梨／桃木色木扇葉。
- WH 型號：配白色／洗白橡木色木扇葉。
- 具備正反掣及三速拉掣，隨意調節風向，風速。
- 配備可拆燈飾。
- 可用吊通或無吊通安裝，以配合較低樓底。
- 燈泡數量：3個（不包括Type E27, max. 60W）。



HL52VQA-3LC30
CODE: S16
古銅色 Antique Brass



HL52VQA

- 52" sweep with high quality wood blades.
- B, A model : Reversible rosewood to walnut blades.
- WH model : Reversible white to bleached oak blades.
- Quiet 3-speed reversible operation.
- Optional light kit included.
- Select either downrod or close-to-ceiling mounting.
- No. of bulb: 3 (Type E27, max. 60W, not provided)



HL52VQWH-3LC30
CODE: S18
白色 White



HL52VQWH



MV52VC w/LP522B
CODE: E1+L11
光鍍色 Chrome



MV52VA
CODE: E15
古銅色 Antique Brass




MV52VWH
CODE: E2
白色 White



- 直徑52/44吋配光面木扇葉，配合各種室內佈置。
- A型號：配花梨／桃木色木扇葉。
- C, WH型號：配白色／洗白橡木色木扇葉。
- 具備正反掣及三速拉掣，隨意調節風向，風速。
- 可配多種燈飾。
- 可用吊通或無吊通安裝，以配合較低樓底。

- 52/44" sweep with high gloss wood blades.
- A model : Reversible rosewood to walnut blades.
- C, WH model : Reversible white to bleached oak blades.
- Quiet 3-speed reversible operation.
- Light kits adaptable.
- Select either downrod or close-to-ceiling mounting.



MV44VC
CODE: E17
光鍍色 Chrome



MV44VA
CODE: E16
古銅色 Antique Brass



MV44VWH
CODE: E9
白色 White



MR52VB w/L412BCODE: E5+L7
金銅色 Polished Brass

- 直徑52吋配光面木扇葉，配合各種室內佈置。
- A, B型號：配桃木色／花梨色木扇葉。
- DN型號：配黑色／花梨色木扇葉。
- WH型號：配白色／洗白橡木色木扇葉。
- 具備正反掣及三速拉掣，隨意調節風向，風速。
- 可配多種燈飾。
- 可用吊通或無吊通安裝，以配合較低樓底。

MR52VDN w/L407DNCODE: E6+L4
黑鍍色 Dark Chrome

- 52" sweep with high gloss wood blades.
- A, B model : Reversible walnut to rosewood blades.
- DN model : Reversible black to rosewood blades.
- WH model : Reversible white to bleached oak blades.
- Quiet 3-speed reversible operation.
- Light kits adaptable.
- Select either downrod or close-to-ceiling mounting.

**MR52VA**CODE: E4
古銅色 Antique Brass**MR52VWH**CODE: E7
白色 White**DPA52VB-SL21**CODE: E3
金銅色 Polished Brass

- 直徑52吋配高級木扇葉，配合各種室內佈置。
- 配白色／淺楓木色木扇葉。
- 具備正反掣及三速調控，隨意調節風向，風速。
- 配備新型射燈。
- 燈泡數量：4個(內附Type E14, R50, max. 60W)。


- 52" sweep with high quality wood blades.
- Reversible white to light maple blades.
- Quiet 3-speed reversible operation.
- Spot lighting included.
- No. of bulbs: 4 (Type E14, R50, max. 60W, provided)

**DPA42A-GL**CODE: E18
古銅色 Antique Brass

- 直徑42吋配高級藤面紋木扇葉。
- A型：配藤面／櫻桃木扇葉。
- WH型：配白色／藤面扇葉。
- 具備正反掣及三速調控，隨意調節風向，風速。
- 配備燈飾。
- 燈泡數量：1個(內附Type E27, max. 60W)。

**DPA42WH-GL**CODE: E19
白色 White

- 42" sweep with high quality rattan patten wood blades.
- A model: Reversible rattan patten to cherry blades.
- WH model: Reversible rattan patten to white blades.
- Quiet 3-speed reversible operation.
- Light kit included.
- No. of bulbs: 1 (Type E27, max. 60W, provided)


**MR42DN**CODE: E12
黑鍍色 Dark Chrome**MR42A**CODE: E10
古銅色 Antique Brass**MR42WH**CODE: E13
白色 White**MR42B**CODE: E11
金銅色 Polished Brass

- 直徑42吋配光面木扇葉，配合各種室內佈置。
- A型號：配橡木色木扇葉。
- B型號：配橡木／桃木色木扇葉。
- DN型號：配黑色木扇葉。
- WH型號：配白色／洗白橡木色木扇葉。
- 具備正反掣及三速拉掣，隨意調節風向，風速。
- 可配多種燈飾。
- 可用吊通或無吊通安裝，以配合較低樓底。

- 42" sweep with high gloss wood blades.
- A model : Oak blades.
- B model : Reversible oak to walnut blades.
- DN model : Black blades.
- WH model : Reversible white to bleached oak blades.
- Quiet 3-speed reversible operation.
- Light kits adaptable.
- Select either downrod or close-to-ceiling mounting.

簡
樸
系

Basic Series



HM326WH-ML
CODE: B1
白色 White



- 直徑32吋配高級木扇葉，配合各種室內佈置。
- 配白色／洗白橡木色木扇葉。
- 具備正反掣及三速拉掣，隨意調節風向，風速。
- 配備燈飾。
- 燈泡數量：1個(內附Type E27, max. 60W)。

- 32" sweep with high quality wood blades.
- Reversible white to bleached oak blades.
- Quiet 3-speed reversible operation.
- Light kit included.
- No. of bulb: 1 (Type E27, max. 60W, provided)



UB306CF-ML
CODE: B2
彩色 Multi-colour



- 直徑30吋配高級彩色木扇葉，配合各種室內佈置。
- 具備正反掣及三速拉掣，隨意調節風向，風速。
- 配備燈飾。
- 適合低樓底。
- 燈泡數量：1個(內附Type E27, max. 60W)。

- 30" sweep with high quality colourful wood blades.
- Quiet 3-speed reversible operation.
- Light kit included.
- Close-to-ceiling mounting.
- No. of bulb: 1 (Type E27, max. 60W, provided)

強
力
吊
扇
系
列



Industrial Series



- 120厘米(48吋)。
- 備吊通長度7吋至36吋，可配合高低樓底。
- 不銹鋼扇葉，堅固耐用。
- 吊鈎裝置，方便安裝。
- 具備三速調控。
- 新款設計扇葉，風力強勁。
- 正反風向調節全年適用。

- 120cm (48").
- Selection of 7" to 36" downrod length for various ceiling heights.
- Durable stainless steel fan blades construction
- Convenient hook-type mounting system
- Quiet three-speed operation
- Strong airflow generation
- Reversible airflow for year-round comfort



KPA48SS
CODE: K4
不銹鋼
Stainless Steel



快速安裝設計，擁有專利 · Efficient patented quick-install design

拉開膠托
Remove Spacer



把扇葉對準螺絲再向右推
Slide Blade Over Screws



收緊螺絲
Tighten Screws



3速不銹鋼面調速掣
3 - speed stainless steel
wall controller

World Renowned Ceiling Fans Only the Best 優質產品 · 馳譽世界



- 備有140厘米(56吋)、120厘米(48吋)及90厘米(36吋)三種款式。
- 具特別設計新型鋁葉，風力強勁。
- 備吊通長度7吋至36吋，可配合高低樓底。
- 吊鈎裝置，方便可靠。
- 適合需要強勁風速場所使用。
- 特備EMSD規格，適合政府、學校使用。

- Available in three sizes: 140cm (56"), 120cm (48") and 90cm (36").
- Newly improved aluminium fan blades design for stronger airflow.
- Selection of 7" to 36" downrod length for various ceiling heights.
- Convenient hook-type mounting system.
- Perfect for places require stronger air ventilation.
- Conforms to EMSD Government Standard.



K56 (140cm)
CODE: K1

K48 (120cm)
CODE: K2

K36 (90cm)
CODE: K3



5速ABS殼
調速掣
5 - speed ABS
wall controller



4速不銹鋼面
調速掣
4 - speed
stainless steel
wall controller



4速ABS面
調速掣
4 - speed ABS
wall controller



3速不銹鋼面
調速掣
3 - speed
stainless steel
wall controller




3速ABS面
調速掣
3 - speed ABS
wall controller




冬暖夏涼 節省能源 • ENERGY SAVING

吊扇具備正反轉功能，於不同季節均能提供舒適的享受。
The Reversible Motor provides upward and downward air flow for desired air circulation.



夏季
IN SUMMER


夏季時在有冷氣裝置的地方使用，可使冷氣加速循環
It moves the air creating a breeze chill effect, minimizing air conditioning cost.



冬季
IN WINTER


冬季時將風扇**正反擊**撥至「反方向」轉動，在有暖氣裝置的地方使用，可使向上升之暖氣循環向下，可節省電費約百分之三十或以上
It recirculates the rising warm air from your heating system which would otherwise escape through the roof.

選擇吊於天花的裝置模式 • How to mount ceiling style



有吊通及無吊通設計
Dual Mount System

吊扇用作吊通型風扇或用作貼近天花型風扇
Select either downrod or close-to-ceiling mounting




全天候天花裝置
Downrod Style

吊扇上盅設計可適合斜天花裝置
A pivoting canopy is suitable for standard or vaulted ceiling.

如何選擇合適的吊通長度及吊扇？

How to choose the right downrod & fan size?



房間面積如超過250平方呎，則需要安裝兩套或以上之吊扇。
Large than 250 sq.ft may require 2 fans or more.

適合8呎(2.4米)樓底使用
Suitable for 8 feet (2.4m) ceiling



香港安全標誌
Hong Kong Safety Mark



有或無吊通俱可
Dual mount system



安裝低樓底天花
Flush mount for low ceiling



雙面色木葉
Double side blades



可選擇裝配燈飾
Light kit adaptable



遙控
Remote Control



三扇葉
3 blades



四扇葉
4 blades



五扇葉
5 blades



六扇葉
6 blades



正反推擊冬暖夏涼設計
Reverse slide switch



節省能源設計
Energy Saving

多種顏色可供選擇

Fan Finishes

A 古銅色
Antique Brass



NI 打磨光鍍色
Brushed Nickel



B 金銅色
Polished Brass



MS 金屬銀色
Metallic Silver



C 光鉻色
Chrome



SA 不銹鋼色
Satin



DN 黑鍍色
Dark Chrome



WH 白色
White



FE 天然鐵色
Natural Iron



W 白 / 金銅色
White / Polished Brass



可選擇裝配之燈飾

Available Light Kits



燈泡數量：1個(Type E27, max. 60W)
No. of bulb: 1 (Type E27, max. 60W)

L101A (Code: L20), L101B (Code: L21)
L101C (Code: L22), L101FE (Code: L23)




燈泡數量：5個(Type E27, max. 60W)
No. of bulbs: 5 (Type E27, max. 60W)

LP522A (Code: L25), LP522B (Code: L11)




燈泡數量：4個(Type E27, max. 60W)
No. of bulbs: 4 (Type E27, max. 60W)

L412A (Code: L6), L412B (Code: L7)
L412C (Code: L8), L412DN (Code: L9)
L412FE (Code: L10)



燈泡數量：4個(Type E27, max. 60W)
No. of bulbs: 4 (Type E27, max. 60W)

L407A (Code: L1), L407B (Code: L2)
L407C (Code: L3), L407DN (Code: L4)
L407FE (Code: L5)



燈泡數量：4個(Type E27, max. 60W)
No. of bulbs: 4 (Type E27, max. 60W)

L401A (Code: L16), L401B (Code: L17)
L401C (Code: L18), L401DN (Code: L24)
L401FE (Code: L19)



SINCE 1952
SINCE 1952



香港安全標誌
Hong Kong Safety Mark



ISO 9001 : 2000
Certificate No. FM41217



蜆壳電器工業(香港)有限公司
SHELL ELECTRIC MFG. (H.K.) CO. LTD.

蜆壳電器控股有限公司成員
A Member of SHELL ELECTRIC HOLDINGS LTD.

香港柴灣利眾街12號蜆壳工業大廈一樓
1/F., Shell Industrial Building, 12 Lee Chung Street, Chai Wan, Hong Kong.
Website: www.smc.com.hk/fan

顧客服務熱線
Customer Service Hotline : (852) 2558 0181

傳真 / Fax : (852) 2897 2095 (852) 2965 7770

Copyright © 2010, SHELL ELECTRIC MFG. (H.K.) CO. LTD. All Rights Reserved
版權所有 · 翻印必究

Specifications are subject to change without prior notice.
規格如有更改，恕不另行通知

Dimensions and weights at approximate
表列尺寸及重量均為近似值

"SMC" will not bear the responsibility of any problem caused by printing or translation errors
所有資料經過小心核對，以求準確，如有任何印刷錯漏或在翻譯中可能產生之誤差，本公司不承擔因此產生之後果

The colours of products shown are approximate and may differ from the actual colours.
由於印刷關係，產品顏色可能與實物略有不同。

"SMC" is the trademark or registered trademark of Shell Electric Holdings Ltd. and Shell Electric Mfg. (H.K.) Co. Ltd.
All brand and product names are Trademarks or Registered Trademarks of their respective companies.
The photos of the products featured in this brochure may not be of actual products that are available in your country.